Wis. Dept. of Safety and Professional Services SOIL EVALUATION - STORM Division of Safety and Buildings

in accordance with SPS 382.365 and 385, Wis. Adm. Code

County

Page	 of

Attach complete site plan on paper not less than 8 1/2 x 11 inches in size. I include, but not limited to: vertical and horizontal reference point (BM), direpercent slope, scale or dimensions, north arrow, and BM referenced to near					ection and		Parcel I.D.					
Please print all information.							Reviewed by			Date		
			be used for secondary purposes (F	Privacy Law								
Property	Owner				Property	Location	n					
					Govt. Lot					N R	E (or) W	
Property (	Owner's Ma	ailing Address			Lot #	Block #	#   Subd. Nan	ne or CSM#				
City		State Zip	Code Phone Number		City		Village	Town	Neares	t Road		
			( )									
Drainage Optional:	: -		sq. ft.		Hydra	ulic Ap	plication Tes					
	Suitable ation	for (check all the	at apply) ention trench	h(es)	☐ Morphological Evaluation							
│ │	garden	☐ Grasse	ed swale	)				Double-F	Ring Infiltr	ometer		
☐ Infilt	ration trer	nch 🗌 SDS (>	> 15' wide) Dther					Other (sp	pecify)			
О	bs. # [	Boring	nd surface elev1	ft	Denth to	limitina	factor	in				
								Hydraulic A				
Horizon	Depth	Dominant Color	Redox Description	Texture		cture	Consistence	Boundary	% Rock	Inch	nes/Hr	
	in.	Munsell	Qu. Sz. Cont. Color		Gr. S	sz. Sh.			Frag.			
					+							
0	bs. # [	Boring Pit Grou	nd surface elev1	ft	Denth to	limiting	factor	in				
			•							Hydrualic A		
Horizon	Depth	Dominant Color	Redox Description	Texture	1	cture	Consistence	Boundary	% Rock	Inches	<u>/Hr</u>	
	in.	Munsell	Qu. Sz. Cont. Color		Gr. S	sz. Sh.			Frag.			
CST/PSS	S Name (P	lease Print)		Signature					CST/I	PSS Numbe	r	
Address					Da	ate Eval	luation Conduc	cted	Tele	phone Numb	per	

Property C	Owner		<del></del>	Parcel ID # _				Page _	of
	"	Boring							
	bs.#	_	nd surface elev.	ft.	Depth to limiting	factor	in		
				_ ''.			"".		Hydraulic App. Rate
Horizon	Depth	Dominant Color	Redox Description	Texture	Structure	Consistence	Boundary	% Rock	Inches/Hr
	in.	Munsell	Qu. Sz. Cont. Color		Gr. Sz. Sh.			Frag.	
				1					
	+			+		<u> </u>			
	-								
				+					
		Dania a							
c	)bs. #	Boring							
		Pit Grou	ınd surface elev	_ ft.	Depth to limitin	g factor	in.		Hydraulic App. Rate
Horizon	Depth	Dominant Color	Redox Description	Texture	Structure	Consistence	Roundary	% Rock	
110112011	1		· ·	lexiule	1	Consistence	Bourlaary	1	IIICHES/III
	in.	Munsell	Qu. Sz. Cont. Color	+	Gr. Sz. Sh.			Frag.	
	<u> </u>			1	<u> </u>				
	<u> </u>								
	<del> </del>			+					
	<del>                                     </del>			-					
	٠	<u>'</u>	•						
	bs.#	Boring							
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Pit Grou	und surface elev.	ft.	Depth to limiting	g factor	in.		
	T 5 "		5 . 5	<del>                                     </del>	1 0, ,	Io : :		L 0/ D	Hydraulic App. Rate
Horizon	Depth	Dominant Color		Texture	Structure	1	Boundary	% Rock	Inches/Hr
	in.	Munsell	Qu. Sz. Cont. Color		Gr. Sz. Sh.			Frag.	
	<del>                                     </del>	<del>                                     </del>		+	+	+			
	-	-		+	+	-			
	-	-		+		-			
L	1		·						I.

Property Owner				Parcel ID # of of					
	bs. #	Boring							
	[	Pit Grou	nd surface elev.	_ ft.	Depth to limiting	factor	in.		Hydraulic App. Rate
Horizon	Depth	Dominant Color		Texture	Structure	Consistence	Boundary	% Rock	
	in.	Munsell	Qu. Sz. Cont. Color		Gr. Sz. Sh.			Frag.	
	Г	Boring							
0	bs.#		nd surface elev.	_ ft.	Depth to limitin	g factor	in.		
Horizon	Depth	Dominant Color		Texture		Consistence		% Rock	Hydraulic App. Rate Inches/Hr
110112011	in.	Munsell	Qu. Sz. Cont. Color	Texture	Gr. Sz. Sh.	Consistence	Boundary	Frag.	IIIOIICO/I II
				1					
					<u> </u>				
			Test Results	and/or Su	ımmary Coı	mments			